



## Radiant Skin Highlighter with RICE PO4 NATURAL

“Formulated and developed by Elementis Specialties”

Ingredients	INCI-Name	%w/w	Supplier
<b>Phase A</b>			
Water	Aqua	66,30	
Sucraclear HC-31	Cellulose Gum (and) Chondrus Crispus (Carrageenan) Extract (and) Ceratonia Silqua Gum (and) Sucrose	1,00	Kinetik
Clyceryl Caprylate		0,20	Kinetik
<b>Phase B</b>			
<b>RICE PO4 NATURAL</b>	<b>Distarch Phosphate</b>	<b>3,00</b>	<b>AGRANA</b>
Resplanta Karite	Glycereth-8 Shea Butter Esters	2,00	Kinetik
Glycerin	Glycerin	5,00	
Standards Willow Bark	Water (and) Salix Nigra (Willow) Bark	5,00	Green Line Botanicals
<b>Phase C</b>			
Bentone Gel PTM V	Phenyl Trimethicone (and) Distearidimonium Hectorite (and) Triethyl Citrate	3,00	Elementis Specialties
Emulium Kappa 2	Candelilla/ Jojoba/ Rice Bran Polyglyceryl-3 Esters (and) Glyceryl Stearate (and) Cetearyl Alcohol (and) Sodium Stearoyl Lactylate	3,00	Gattefosse
Meadowderm	Meadowfoam Delta-Lactone	2,00	Elementis Specialties
Fancol ID-CG	Isododecane	2,00	Elementis Specialties
<b>Phase D</b>			
Verstatil PC	Phenoxyethanol (and) Caprylyl Glycol	0,50	Kinetik
Hydractin	Glycerin (and) Water (and) Disodium Adenosine Triphosphate (and) Carica Papaya (Papaya) Fruit Extract (and) Phenoxyethanol (and) Algin (and) Sodium Hydroxide	3,00	Kinetik
KTZ Aruban Coral (Kobo)	Mica (and) Titanium Dioxide (and) Iron Oxides	2,00	Kobo
KTZ Interfine Gold (Kobo)	Mica (and) Titanium Dioxide	2,00	Kobo



## Phase E

Citric Acid	Mica (and) Titanium Dioxide	q.s.	Kinetik
-------------	-----------------------------	------	---------

## PROCEDURE

1. Combine Phase A ingredients with gentle propeller mixing. Heat to 75°C.
2. Add Phase B to Phase A under homogenization. Maintain heat at 75°C.
3. Heat Phase C to 75°C. Add Phase C to combine Phase A/B.
4. Mix for 10-15 minutes and switch to propeller mixing.
5. Begin cooling.
6. At 45°C, add Phase D ingredients to batch one at a time.
7. Cool to ambient temperature with mixing.
8. Adjust pH to 5,5 – 6,0 using Phase E.

## SPECIFICATION

Viscosity      60.000 – 75.000 cps (RV Spindle T-D, 10 rpm)  
pH                5,6 – 6,0

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.