



LIQUID TALC (mimic Betafarma gentle liquid talc) "Formulation No: 4010076-1CH" with CORN PO4 PH"B" 9042

"Formulated and developed exclusively by Owen Trading Company"

Ingredients	INCI-Name	%w/w	Supplier
Phase A			
Xalifin-15	C12-20 Acid PEG-8 Ester	2,00	Vevy Europe
Rofetan OE	Dicaprylyl Ether	2,00	Ecogreen
Rofetan CCC	Coco-Caprylate/Caprates	2,00	Ecogreen
Nesatol	C ₁₀ -C ₁₈ Triglycerides	2,00	Vevy Europe
Silwax G 118	Stearyl Dimethicone	2,00	Siltech
Phase B			
Glycerin	Glycerin	3,00	
Propylene Glycol	Propylene Glycol	5,00	ADM
Hygel E-100FD	Carbomer	0,25	Derypol
EDTA-2Na	EDTA-2Na	0,05	
Water	Water	45,00	
Phase C			
TEA	Triethanolamine	0,25	
Phase D			
Corn P04 PH"B" 9042	Distarch Phosphate	45,00	Agrana
Phase E			
Saskine 50	Ethylhexylglycerine	0,05	Sachem
Liquid Germall® Plus	Propylene Glycol (and) Diazolidinyl Urea (and) Iodopropynyl	qs	Ashland
Fragrance	Fragrance	qs	



AGRANA STARCH

AGRANA - Liquid Talc (mimic Betafarma
gentle liquid talc) with CORN PO4 PH B
9042
release 01, 02.06.2015
Page 2 of 2

PROCEDURE

1. Heat phase A and B to approx. 80-85°C.
2. Add phase A to B and homogenize for 3-5 min.
3. Cooling to 60°C, add phase C.
4. Cooling to 50°C, add phase D slowly while high speed stirring.
5. Cooling to 40°C, add phase E, bottling.

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.