



Transformer with Rice PO4 Natural

“Formulated and developed by Azelis Personal Care – ref. 7666”

Ingredients	INCI-Name	%w/w	Supplier
-------------	-----------	------	----------

Phase A

Aerosil 200	Silica	0,50	Evonik
Lexgard O	Caprylyl Glycol	1,00	Inolex
BRB Caprylyl Methicone	Caprylyl Methicone	43,50	BRB
Rheopearl MKL2	Dextrin Myristate	15,00	Miyoshi

Phase B

RICE PO4 NATURAL	Distarch Phosphate	30,00	Agrana
-------------------------	---------------------------	--------------	---------------

Phase C

Cameleon Red	C.I. 77491, C.I. 77891, Magnesium Stearate, Acrylates/Ammonium Methacrylate Copolymer, Cellulose Acetate, Propylene Glycol Stearate	5,00	Tagra
Timiron Halo White	Synthetic Fluorophlogopite, C.I. 77891, Tin Oxide	5,00	Merck

PROCEDURE

1. Heat phase A to 80 °C.
2. Add phase B using high shear mixing.
3. Add phase C to the batch whilst stirring, mix until homogeneous.

SPECIFICATION

Stability 2 months @ 4, 20, 40, 50 °C and Cycle

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.