

Compact Eye Shadow "Glamorous Turquoise" with AGENAFLO OS 9051

"Formulated and developed by ECKART GmbH"

Ingredients Phase A	INCI-Name	%w/w	Supplier
Talc Powder	Talc	18.00	www.vwr.com
AGENAFLO OS 9051	Aluminium Starch Octenylsuccinate	8.00	www.agrana.com
SYNAFIL S1050	Synthetic Fluorophlogopite	10.00	www.eckart.net
MIRAGE Glamour Green	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	15.00	www.eckart.net
MIRAGE Glamour Gold	Calcium Sodium Borosilicate (and) Titanium Dioxide (and) Tin Oxide	10.00	www.eckart.net
SYNCRYSTAL Turquoise	Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Ferric Ferrocyanide (and) Tin Oxide	25.00	www.eckart.net

Phase B

Xiameter PMX-0345 Cyclosiloxane	Cyclopentasiloxane, Cyclohexasiloxane	4.00	www.dowcorning.com
Ewalan IP	Isopropyl Lanolate	6.00	www.wagnerlanolin.de
Ceraphyl 847	Octyldodecyl Stearoyl Stearate	4.00	www.ashland.com

PROCEDURE

1. Weigh in phase A.
2. Add phase B and stir until homogenous.
3. Press eye shadow at 100 bar for 30 s.



This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.