

## Eyebrow Powder "Dark Brown" with AGENAFLO OS 9051

"Formulated and developed by ECKART GmbH"

Ingredients	INCI-Name	%w/w	Supplier
<b>Phase A</b>			
SYNAFIL S1050	Synthetic Fluorphlogopite	50.00	www.eckart.net
<b>AGENAFLO OS 9051</b>	<b>ALUMINIUM STARCH OCTENYLSUCCINATE</b>	<b>14.00</b>	<b>WWW.AGRANA.COM</b>
Covabead Velvet 10	Polymethyl Methacrylate	4.00	www.sensient-cosmetics.com
RHEOCIN	Trihydroxystearin	1.00	www.eckart.net
Zinc Stearate	Zinc Stearate	4.00	www.vwr.com
SYNCRYSTAL Soft Black	Synthetic Fluorphlogopite (and) Iron Oxides	10.00	www.eckart.net
SYNCRYSTAL Soft Bronze	Synthetic Fluorphlogopite (and) Iron Oxides	7.00	www.eckart.net
<b>Phase B</b>			
Saboderm AB	C12-15 Alkyl Benzoate	5.00	www.sabo.com
Ceraphyl 368	Ethylhexyl Palmitate	2.00	www.ashland.com
Ceraphyl 375	Isostearyl Neopentanoate	2.00	www.ashland.com
Euxyl K 830	Phenoxyethanol, Ethylhexylglycerin (and) Octenidine HCl	1.00	www.schuelke.com

### PROCEDURE

1. Weight in phase A
2. Add phase B and stir until homogeneous
3. Press the brow powder at 100 bar for 30 sec

### Stability:

Drop test passed.



This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.