G R A N STÄRKE

AGRANA STARCH

AGRANA - Mixed Metals- Venetian Golden Brown Compact Eye Shadow with AGENAFLO OS 9051.doc release 01, 26.06.18

Mixed Metals – "Venetian Golden Brown" Compact Eye Shadow with AGENAFLO OS 9051

"Formulated and developed exclusively by Eckart GmbH"

Ingredients INCI-Name %w/w Supplier

Phase A

Talc Powder	Talc	32.00	www.vwr.com
AGENAFLO OS 9051	Aluminium Starch Octenylsuccinate	7.00	www.agrana.com
SYNAFIL S1050	Synthetic Fluorphlogopite	16.00	www.eckart.net
VISIONAIRE Bright	Bronze Powder (and) Silica	20.00	www.eckart.net
Natural Gold			
SYNCRYSTAL Green	Synthetic Fluorphlogopite (and) Titanium	10.00	www.eckart.net
	Dioxide (and) Tin Oxide		
SYNCRYSTAL	Synthetic Fluorphlogopite (and) Titanium	5.00	www.eckart.net
Sapphire	Dioxide (and) Ferric Ferrocyanide (and)		
	Tin Oxide		
SYNCRYSTAL Soft	Synthetic Fluorphlogopite (and) Iron	5.00	www.eckart.net
Copper	Oxides		

Phase B

Xiameter PMX-0345	Cyclomethicone	4,00	www.dowcorning.com
Cyclosiloxane			
Ewalan IP	Isopropyl Lanolate	7,00	www.wagnerlanolin.de
Ceraphyl 847	Octyldodecyl Stearoyl Stearate	4,00	www.ashland.com

PROCEDURE

- 1. Weigh in phase A.
- 2. Add phase B and stir until homogeneous.
- 3. Press eye shadow at 100 bar for 30s.



This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.