Pressed Eye Shadow "Ruby Chocolate" with AGENAFLO OS 9051

"Formulated and developed by ECKART GmbH"

Phase A

Ingredients	INCI-Name	%w/w	Supplier
Talc Powder	Talc	22,00	www.vwr.com
AGENAFLO OS 9051	**Aluminum Starch Octenylsuccinate**	**7,00**	**www.agrana.com**
SYNAFIL S1050	Synthetic Fluorphlopite	13,00	www.eckart.net
SYNCRYSTAL Scarlet	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Carmine (and) Tin Oxide	18,00	www.eckart.net
MIRAGE Fire-Red	Calcium Sodium Borosilicate (and) Iron Oxides (and) Tin Oxide	11,00	www.eckart.net
VISIONAIRE Bright Silver Sea	Aluminum Powder (and) Silica	7,00	www.eckart.net
VISIONAIRE Cinnamon	Copper Powder (and) Silica	6,00	www.eckart.net
Manganese Violet (CI 77742)	Manganese Violet	7,00	www.eckart.net

Phase B

Xiameter PMX- 0345	Cyclomethicone	4,00	www.dowcorning.com
Ewalan IP	Isopropyl Lanolate	9,00	www.wagnerlanolin.de
Ceraphyl 847	Octyldodecyl Stearoyl Stearate	4,00	www.ashland.com

PROCEDURE

1. Weigh in phase A.
2. Add phase B and stir until homogenous.
3. Press eye shadow at 100bar for 30 s.

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.