



FOUNDATION (mimic ZFC foundation) "Formulation No: X141104-1" with AGENAFLO OS 9051

"Formulated and developed exclusively by Owen Trading Company"

Ingredients	INCI-Name	%w/w	Supplier
Phase A			
Permalene 400 Polyethylene	Polyethylene	3,20	New Phase Technology
Ozokerite Wax SP-1020P	Ozokerite	2,10	S&P
Candellia Wax SP-75	Candelilla cera / Candelilla wax	1,20	S&P
Phase B			
Siltech CE-2000	Trioctyldodecyl Citrate	23,20	Siltech
TiO2 CR-50 AS	Titanium Dioxide & Triethoxycaprylylsilane	23,50	K.S. Pearl
I.O. Yellow AS	Iron Oxide Red &Talc & Triethoxycaprylylsilane	0,45	K.S. Pearl
I.O. Red AS	Iron Oxide Yellow & Tale & Triethoxycaprylylsilane	0,90	K.S. Pearl
I.O. Black AS	Iron Oxide Black & Talc & Triethoxycaprylylsilane	0,05	K.S. Pearl
Performix CC	Lecithin, Cparylic/Capric Glycerides Polyglycerin-10 Ester	0,75	ADM
Rofetan CCC	Coco-Caprylate/Caprata	9,10	Ecogreen
Dow Corning® 556	Phenyl Trimethicone	6,70	Dow Corning
Talc AJM	Talc	14,80	Kobo
Dow Corning® 9701	Dimethicone/Vinyl Dimethicone Crosspolymer (and) Silica	3,10	Dow Corning
AGENAFLO OS 9051	Aluminum Starch Octenylsuccinate	10,80	Agrana



Phase C

Purolan® BHT	BHT	0,05	Clariant
Nipasol™ M	Propylparaben	0,10	Clariant

PROCEDURE

1. Heat phase A to approx. 90°C.
2. Homogenize phase B.
3. Add phase B to A while stirring.
4. Add phase C while stirring.
5. Cooling to 80°C, bottling.

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.