



MATTE LIPSTICK "Formulation No: 7010017XF" with AGENAFLO OS 9051

"Formulated and developed exclusively by Owen Trading Company"

Ingredients	INCI-Name	%w/w	Supplier
Phase A			
Performalene M70	Synthetic Wax	18,00	NPT
Performalene 700EP Copolymer	Ethylene/Propylene Copolymer	1,50	NPT
Tegosoft TIS	Trisostearin	11,70	Evonik
Rewopal PIB 1000	Polyisobutene	8,80	Evonik
Tegosoft G20	Octyldodecanol	17,50	Evonik
Silwax D221M	C30-45 Alkyl Cetearyl Dimethicone Crosspolymer	3,00	Siltech
Cegesoft® C 24	Ethylhexyl Palmitate	6,00	BASF
Phase B			
SW65U	Synthetic Wax (and) Titanium Dioxide (and) Isopropyl Titanium Triisostearate	6,00	Kobo
SW40R6B	Synthetic Wax (and) D&C Red No. 6 Barium Lake (and) Isopropyl Titanium Triisostearate	7,00	Kobo
Phase C			
Kobo Mica S-25	Mica	6,00	Kobo
AGENAFLO OS 9051	Aluminum Starch Octenylsuccinate	13,00	Agrana
Aerosil 200	Silica	2,00	Evonik
Phase D			
Purolan® BHT	BHT	0,05	Clariant
Nipasol™ M	Propylparaben	0,10	Clariant



AGRANA STARCH

AGRANA - Matte lipstick 7010017XF with
Agenaflo OS 9051
release 01, 27.05.2015
Page 2 of 2

PROCEDURE

1. Add AEROSIL 200 to A phase 's liquid materials.
2. Add phase B and C.
3. Add A phase 's solid materials and phase D, heat to dissolve completely.
4. Cooling to 80 °C, pouring into molds. (The appearance of lipstick should be matte after a period time)

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.