





Blanova® Active D-Panthenol 75%	Panthenol, Aqua	0,75	Azelis
Glycerin	Glycerin	4,00	
Paratexin PE	Phenoxyethanol	1,00	Azelis
Rheozan	Succinoglycan Gum	0,50	Solvay

## Phase B

Blanova GA 20	Octyldodecanol	8,00	Azelis
Blanova® Sweet Almond Oil	Prunus Amygdalus Dulcis (Sweet Almond) Oil	3,00	Azelis
Blanova® Vitamin E Acetat	Tocopherol Acetate	1,00	Azelis
Fragrance	Fragrance	0,50	IFF
<b>AGENAFLO 9050</b>	<b>Corn Starch Modified</b>	<b>1,50</b>	<b>AGRANA</b>

## Phase C

Ethanol	Ethanol	5,00	
---------	---------	------	--

### Manufacturing Instructions:

Dissolve components of phase A (except Succinoglycan Gum) until clear.  
 Disperse Succinoglycan Gum of phase A  
 Add pre-dispersed phase B to phase A and homogenize properly (droplet size control via microscope)  
 Add phase C to phase AB  
 Adjust pH to 6,0

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.