

Moisturizing Cream for Men with CORN PO4 PH"B"

"Formulated and developed by EVONIK INDUSTRIES"
F35/01-7

| Ingredients | INCI-Name | %w/w | Supplier |
|----------------------------------|---|-------------|---------------|
| Phase A | | | |
| TEGO® Care 450 | Polyglyceryl-3 Methylglucose Distearate | 3,00 | EVONIK |
| TEGIN® M | Glyceryl Stearate | 2,00 | EVONIK |
| | Stearyl Alcohol | 1,00 | |
| TEGOSOFT® DC | Decyl Cocoate. | 3,00 | EVONIK |
| TEGOSOFT® TN | C12-15 Alkyl Benzoate | 2,50 | EVONIK |
| BAYSILONE SF1202 | Cyclopentasiloxane | 4,00 | MOMENTIVE |
| PARSOL SLX | Polysilicone-15 | 2,00 | DSM |
| Tocopheryl Acetate | Tocopheryl Acetate | 0,50 | DSM |
| Phase B | | | |
| GluCare® S | Sodium Carboxymethyl Beta-Glucan | 0,20 | EVONIK |
| CORN PO4 PH"B" | Distarch Phosphate | 5,00 | AGRANA |
| Glycerin | Glycerin | 3,00 | |
| Allantoin | Allantoin | 0,20 | |
| Water demin. | Aqua | 68,10 | |
| Phase C | | | |
| TEGO CARBOMER® 134 | Carbomer | 0,30 | EVONIK |
| TEGOSOFT® TN | C12-15 Alkyl Benzoate | 1,20 | EVONIK |
| Phase D | | | |
| Bisabolol | Bisabolol | 0,50 | |
| Phase E | | | |
| Sodium Hydroxide (10 % in water) | Sodium Hydroxide | q.s | |



Phase F

| | | | |
|--------------------------|---------------------|------|---------|
| Fucogel 1000 PP | Biosaccharide Gum-1 | 4,00 | SOLABIA |
| Conservation, perfume | | q.s | |

PROCEDURE

1. Heat Phases A and B separately to 80°C.
2. Keep the temperature of Phase B constant for 10 minutes whilst stirring.
3. Add Phase A to Phase B whilst stirring *).
4. Undertake homogenization.
5. Cool while stirring gently to 60°C and add Phase C and D.
6. Homogenize for a short time.
7. Cool whilst stirring gently and add Phases E/F under 40°C.

*) Please observe / take care

If Phase A is in the kettle then Phase B is added without stirring.

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.