





# AGRANA STARCH

AGRANA - Body Lotion without fragrance  
with CORN PO4 PH B - original  
release 01, 28.03.12  
Page 2 of 2

## Phase C

Spectrastat	Capryl glycol (and) Capryl-Hydroxamic Acid (and) Glycerine	1,0	INOLEX
-------------	--	-----	--------

## PROCEDURE

1. Mix all ingredients of the Phase A under stirring and heat to 75 – 80 °C.
2. Phase B: Mix under stirring Glycerin, Preservative and Sodium PCA and heat at 75 – 80 °C, disperse CORN PO4 PH<sup>B</sup> under high stirring and hold the temperature at 75 °C for 10 min.
3. Add Phase A to Phase B under stirring and homogenize at 70 °C for a few minutes.
4. Cool down while slowly stirring to room-temperature, and add Spectrastat whilst stirring until homogenize.
5. Final viscosity is obtained after 1-2 days storage at room temperature.

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.