

## BB Cream (8 in 1) with CORN PO4 PH"B"

"Formulated and developed by Cremer Oleo GmbH & Co. KG"

Ingredients	INCI-Name	%w/w	Supplier
<b>Phase A</b>			
Imwitor® 375	Glyceryl Citrate/Lactate/Linoleate/Oleate	1,50	CREMER Care
CremerVERO Argan Oil organic	Argania Spinosa Kernel Oil	1,00	CREMER Care
CremerOIL High Oleic Sunflower Oil	Helianthus Annuus Hybrid Oil	2,00	CREMER Care
CremerVERO Shea Butter	Butyrospermum Parkii Butter	2,00	CREMER Care
Ginol 18/22	Behenyl Alcohol	2,00	CREMER Care
Miglyol® 829	Caprylic/Capric/Succinic Triglyceride	3,00	CREMER Care
Montanov® 82	Cetearyl Alcohol (and) Coco glucoside	2,00	Seppic GmbH
C12-15 Alkyl Benzoate	C12-15 Alkyl Benzoate	3,00	
Asensa® PR 200	Polyethylene	2,00	Honeywell International Inc.
Sophim MC 30	Hydrogenated Polyisobutene	2,00	Sophim
<b>CORN PO4 PH "B"</b>	<b>Distarch Phosphate</b>	<b>1,00</b>	<b>AGRANA</b>
Baysilone® Oil M 350	Dimethicone	2,50	Momentive
Neo Heliopan® 303	Octocrylene	6,00	Symrise AG
Neo Heliopan® 357	Butyl Methoxydibenzoylmethane	2,00	Symrise AG
Uvinul® T150	Ethylhexyl Triazone	2,00	BASF AG

<b>Phase B</b>			
Keltrol® CG (E)	Xanthan gum	0,25	CP Kelco
CremerGLYC Ref. Glycerin 99,5	Glycerin	3,00	CREMER Care
Disodium EDTA	Disodium EDTA	0,10	
Preservative	Preservative	q.s.	
Aqua dem.	Aqua	ad. 100,0	



## Phase C

Colorana® Oriental Beige	MICA, CI 77891 (Titanium Dioxide), CI 77491 (Iron Oxides)	0,50	Merck KGaA
C47-7756 Soft Tex® TI02	CI 77891	5,00	Sun Chemicals
C33-7715 Soft-Tex® Brown	CI 77491 (and) CI 77492 (and) CI	0,50	Sun Chemicals
CremerCOOR® PPG 810	Propylene Glycol /Dicaprylate /Dicaprata	5,00	CREMER Care
Imwitor® 375	Glyceryl Citrate/Lactate/Linoleate/Oleate	1,00	CREMER Care

## Phase D

Tocopherol	Tocopherol	0,50	
Hygroplex® HHG	Hexylene Glycol, Fructose, Glucose, Sucrose, Urea, Dextrin, Alanine, Glutamic Acid, Aspartic Acid, Hexyl Nicotinate	3,00	CLR Richter
Phytosan'K	Water, Glycerin, Glycine Soja (Soybean) Seed Extract	3,00	CLR Richter
MPC Liposomen	Phospholipids, Whey Protein	5,00	CLR Richter
Fragrance	Parfum (EU) /Fragrance (US)	q.s.	

## Phase E

Sodium Hydroxide 10% in	Sodium Hydroxide	q.s.	
-------------------------	------------------	------	--

## PROCEDURE

1. Heat phase A + B to approx. 80 °C.
2. Mix phase B.
3. Add phase B to phase A under stirring.
4. Homogenize.
5. Cool with gentle stirring to approx. 60 °C.
6. Mix phase C.
7. Add phase C to the emulsion and homogenize.
8. Cool with gentle stirring to approx. 40 °C.
9. Add phase D.
10. Homogenize for a short time.
11. Adjust pH value with phase E to 6,5.

This formulation is indicative only and no responsibility whatsoever will be assumed. This formulation is offered solely for your consideration, investigation and verification. It is your responsibility to thoroughly test any formulations before use. All those who use our formulations as well as those who process AGRANA Starches are themselves entirely responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies. AGRANA does not assure any liability with respect to the composition of the formulation or the use in products.