



Moisturizing Face Care for Men (O/W) with CORN PO4 PH"B"

"developed & formulated exclusively by CLR"

Ingredients	INCI-Name	%w/w	Supplier
Phase A			
Water	Aqua	ad 100	
Glycerin	Glycerin	2,00	
Propylene Glycol	Propylene Glycol	3,00	
Cosmedia SP	Sodium Polyacrylate	0,30	Cognis
Carbopol Ultrez 21	Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0,15	Noveon
D-Panthenol	Panthenol	0,50	DSM
Allantoin	Allantoin	0,10	
CORN PO4 PH „B“	Distarch Phosphate	1,00	AGRANA
Phase B			
Tego Care 450	Polyglyceryl-3 Methylglucose Distearate	3,00	Goldschmidt
Crodamol OC	Ethylhexyl Cocoate	4,00	Croda
Parsol MCX	Octyl Methoxycinnamate	3,00	DSM
Nacol 16-95	Cetyl Alcohol	0,50	Sasol
Eusolex T-2000	Titanium Dioxide, Alumina, Simethicone	1,10	Merck
Phase C			
Dow Coming 345	Cyclopentasiloxane (and) Cyclohexasiloxane	2,00	Dow Corning



Phase D

Copherol 1250	Tocopheryl Acetate	2,00	Cognis
Glycoderm™ (P)	Water (and) Honey (and) Phospholipids (and) Sphingolipids (and) Hyaluronic Acid	3,00	CLR
Alcohol Denat.	Alcohol Denat.	5,00	
Euxyl PE 9010*	Phenoxyethanol, Ethylhexylglycerin	0,80	Schuelke & Mayr

PROCEDURE

1. Add the ingredients of A in the given order into the water and stir until uniform.
2. Heat up A and B to 75 – 80 °C separately.
3. Add C to B and A to BC.
4. Homogenize for 3 minutes and cool down while stirring.
5. Add D in the given order below 30 °C.
6. Mix until uniform.

*) This formula has been manufactured and stability tested using a special preservative, but has not been subjected to microbiological challenge tests.

The recommendations and formulations given are based on our knowledge and experience in the field of technical application. They are, to the best of our belief, correct, but are offered without obligation. Those who use our recommendations and formulations as well as those who process CLR Active Agents are themselves responsible for the adherence to prevailing statutory regulations and the observance of patent rights as well as other protective rights for other companies.